

02  
~~3~~4. (Amended) A method for stimulating axon growth in the spinal cord of a mammal to stimulate nerve regeneration comprising the step of applying an oscillating electrical field across a lesion in the spinal cord wherein the oscillating electrical field's polarity reversal period is long enough to stimulate growth of cathodally facing axons in the spinal cord but is less than a die back period of anodally facing axons in the spinal cord.

Claim 6, line 1, delete "5" and insert therefore --4--.

03  
~~4~~7. (Amended) A method for stimulating nerves in the central nervous system of a mammal to regenerate within the central nervous system comprising the steps of implanting electrodes on opposite sides of a lesion, generating an oscillating electrical field that has a polarity reversal period in the range of about thirty seconds to about sixty minutes, and [less than the die back period of anodally facing axons,] applying the oscillating electrical to the electrodes to apply the oscillating electrical field to the central nervous system.

04  
~~5~~9. (Amended) A method for stimulating nerves in the central nervous system of a mammal to regenerate, said nerves having nerve cells with caudally extending axons and rostrally extending axons, comprising the steps of applying a constant current DC stimulus to the central nervous system and reversing the polarity of the DC stimulus after a predetermined period of time which is in the range of about thirty seconds to about sixty minutes [long enough to stimulate axon growth of cathodally facing axons of the nerve cells but is shorter than a die back period of anodally facing axons].

Q5  
<sup>7</sup>  
~~12~~. (Amended) An apparatus for stimulating nerves in the central nervous system of a mammal to regenerate within the central nervous system, comprising means for generating an oscillating electrical field which has a polarity reversal period long enough to stimulate growth of cathodally facing axons of the nerves to be stimulated but less than a die back period of anodally facing axons of the nerves to be stimulated and means for coupling an output of the generating means to the central nervous system.

<sup>8</sup>  
~~13~~. (Amended) The apparatus of claim <sup>7</sup>~~12~~ wherein the output of the generating means [comprises] has first and second oppositely polarized output terminals and the means for coupling the output of the generating means to the central nervous system comprises first and second electrodes coupled respectively to the first and second outputs of the generating means[, the first and second electrodes being implanted on opposite sides of a lesion in the central nervous system].

Claim 15, line 1, delete "14" and insert therefore --13--.

Q6  
<sup>10</sup>  
~~16~~. (Amended) An apparatus for stimulating axon growth of the nerve cells in the spinal cord of mammals to stimulate regeneration of the nerve cells in the spinal cord, comprising means for generating a constant current DC stimulus, the generating means having [a] first and second oppositely polarized output terminals wherein one output terminal comprises a cathode and the other output terminal comprises an anode of the generating means, means for coupling the first and second output terminals to the spinal cord on opposite sides of a lesion, and means for reversing the polarity of the DC

stimulus each time a predetermined period of time elapses, the predetermined time period being in the range of about thirty seconds to sixty minutes [long enough to stimulate growth of cathodal facing axons but shorter than a die back period of anodal facing axons], and wherein each time the polarity of the DC stimulus is reversed the output terminal which comprised the cathode before the polarity reversal comprises the anode after the polarity reversal and the output terminal which comprised the anode before the polarity reversal comprises the cathode after the polarity reversal.

*11*  
~~17~~. (Amended) The apparatus of claim ~~16~~<sup>10</sup> wherein the means for coupling the first and second output terminals to the spinal cord comprises first and second electrodes coupled respectively to the first and second output terminals [and respectively implanted in the body of the mammal on opposite sides of the lesion].

#### REMARKS

This invention relates to a method and apparatus for stimulating the nerves in the central nervous system of a mammal to regenerate. In a preferred embodiment of the invention, an oscillating electrical field is applied across a lesion in the central nervous system of a mammal. The oscillating electrical field is a constant current DC field, the polarity of which is reversed after a predetermined time. The predetermined time is set to be long enough to stimulate growth of cathodal facing axons but less than a die back of anodal facing axons. The predetermined time period is preferably in the range of thirty seconds to sixty minutes.